

Other Precious Metals

ANALYTE	RANGE (ppm)	DESCRIPTION	CODE
Pt	0.02-10	Pt, Pd, Ir, Os, Rh, Ru and Au by fire assay with nickel sulfide collection and neutron activation analysis.	PGM-NAA26
Pd	0.02-10		
Ir	0.001-10		
Os	0.01-10	30g nominal sample weight	
Rh	0.005-10		
Ru	0.05-10		
Au	0.001-10	Note: Au is not quantitative by this method.	

At your request, precious metals units can be reported as ppb, ppm, g/t or oz/t (except for bullion assays).
To achieve optimum PGE recovery for most sample matrices, ALS Minerals recommends a 30g charge weight.